



03500.014806.1

copy
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: A. Diamond
TOHRU DEN, et al.)	
	:	Group Art Unit: 1753
Appl. No.: 10/663,752)	
	:	
Filed: September 17, 2003)	
	:	
For: PHOTOELECTRIC CONVERSION)	
DEVICE AND METHOD OF	:	
PRODUCTION THEREOF)	
	:	
U.S. Patent No.: 7,087,831 B2)	
	:	
Issued: August 8, 2006)	January 9, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Certificate
JAN 12 2007
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

01/11/2007 MAHMED2 00000177 7087831


01 FC:1811

100.00 0P

JAN 16 2007

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should continue to
be directed to our address given below.

Respectfully submitted,



Diamond E. Vadnais
Attorney for Patentees
Registration No.: 52,310

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 125450v1

JAN 16 2007

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,087,831 B2

DATED : August 8, 2006

INVENTOR(S) : Tohru Den, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER PAGE:

(56) References Cited OTHER PUBLICATIONS

After "M.K. Nazeeruddin, et al.," : "(X⁺Cl⁻; Br⁻; I⁻; CN⁻; and SCN⁻)" should read -- (X = Cl⁻, Br⁻, I⁻, CN⁻, and SCN⁻) --.

(56) References Cited OTHER PUBLICATIONS, page two

After "H. Tsubomura, et al.," : "'Dy" should read -- "Dye --;

After "Routkevitch et al.," : "Devic" should read -- Device --;

After "Masuda, et al.," : "Bi₄Ti₃O₁₂" should read -- Bi₄Ti₃O₁₂ --;

After "Huber, et al.," : "Camposites," should read -- Composites," --; and

After "O'Regan, et al.," : "TiO₂" should read -- TiO₂ --.

COLUMN 2:

Line 60, "being" should read -- are being --.

COLUMN 5:

Line 49, "crystal;" should read -- crystal. --.

COLUMN 8:

Line 54, "absoptance" should read -- absorptance --; and

Line 63, "shapes. Such" should read -- shapes, such --.

COLUMN 14:

Line 6, "reference of" should read -- reference to --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,087,831 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,087,831 B2

DATED : August 8, 2006

INVENTOR(S) : Tohru Den, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 18:

Line 67, "1100 mL/min" should read -- 100 mL/min --.

COLUMN 22:

Line 42, "fist" should read -- first --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,087,831 B2

No. of add'l. copies
@ 30¢ per page



JAN 16 2007

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,087,831 B2

DATED : August 8, 2006

INVENTOR(S) : Tohru Den, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER PAGE:

(56) References Cited OTHER PUBLICATIONS

After "M.K. Nazeeruddin, et al.," : "(X⁺C1⁻; Br⁻; I⁻; CN⁻; and SCN⁻)" should read -- (X = C1⁻, Br⁻, I⁻, CN⁻, and SCN⁻) --.

(56) References Cited OTHER PUBLICATIONS, page two

After "H. Tsubomura, et al.," : ""Dy" should read -- "Dye --;

After "Routkevitch et al.," : "Devic" should read -- Device --;

After "Masuda, et al.," : "Bi₄Ti₃O₁₂" should read -- Bi₄Ti₃O₁₂ --;

After "Huber, et al.," : "Camposites," should read -- Composites," --; and

After "O'Regan, et al.," : "TiO₂" should read -- TiO₂ --.

COLUMN 2:

Line 60, "being" should read -- are being --.

COLUMN 5:

Line 49, "crystal;" should read -- crystal. --.

COLUMN 8:

Line 54, "absoptance" should read -- absorptance --; and

Line 63, "shapes. Such" should read -- shapes, such --.

COLUMN 14:

Line 6, "reference of" should read -- reference to --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,087,831 B2

No. of add'l. copies
@ 30¢ per page



JAN 16 2007

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,087,831 B2

DATED : August 8, 2006

INVENTOR(S) : Tohru Den, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 18:

Line 67, "1100 mL/min" should read -- 100 mL/min --.

COLUMN 22:

Line 42, "fist" should read -- first --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,087,831 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)
125449 (Form#30)



JAN 16 2007